

CONCRETE ASPHALT CURB MACHINE



The Best Solution for Asphalt and Concrete Curbing

The Cobra Curbers are designed to deliver seamless and efficient asphalt and concrete curbing with exceptional performance, precision, and ease of use. Built for versatility, these durable machines excel in a wide range of curbing projects. Their self-propelled design allows smooth navigation across various terrains, while intuitive controls ensure ease of operation — even for first-time users.


Stability, efficiency, and precision are at the core of the Cobra Curbers' design, making them a reliable choice for curbing professionals.

Auger and Molds:

6" Cast Auger: – Standard on all units, suitable for a variety of standard molds.

Optional 4" Cast Auger – Available to accommodate 4" molds, offering flexibility for different curbing requirements.

Custom Molds – Provides custom mold solutions to meet specific project needs.



Under the Guard Rail

Designed for precise curb installation under guard rails, this model features a 12" outreach for improved curb placement efficiency.

Oversized Hopper

Engineered to accommodate standard wheelbarrows or loaders like the Salsco Side Dump Bucket, ensuring smooth and efficient material loading.

Enhanced Stability

Designed for stability, nine wheels are divided into three adjustable sets, each controlled by front-mounted vertical hand cranks for easy terrain adaptation.

Steering/Hand Brake

The steering and hand brake handle offers precise control on steep inclines, ensuring proper curb compaction and preventing breakage or material overflow.

Product Specifications	
Length	67" in (170cm)
Width	30" in (76cm)
Height	35.5" in (90cm)
Weight	840 lbs (381kg)
Standard Equipment	
Engine	13 HP Honda, Electric Start or Pull Start Engine
Engine enclosure	Honda engine fully enclosed with easy access to engine controls
Drive	Self-propelled
Wheels	Nine wheels for stability
Fuel Tank	1.85 gallon steel tank
Steering	Handle directed with a steering degree up to 4°
Brakes	Hand brake
Speed	Speeds up to 24 feet per minute
Hopper	5.75 cubic feet large capacity hopper
Auger	Cast auger
Housing	0.5" steel plate auger housing
Main Frame	2" x 2" x 3/8" wall, rectangular steel frame construction, with cross beams
Paint	Powder coat baked enamel finish (Safety Yellow Standard)
Auger and Mold Options	
6" Cast Auger	Standard on all units, suitable for a variety of standard molds
4" Cast Auger	Accommodate 4" molds, offering flexibility for different curbing requirements
Custom Molds	Salsco provides custom mold solutions to meet specific project needs



STANDARDS MOLDS



0287010	0287004	0287011	0287013	0287014	0287061	0287069	0287015
0287016	0287017	0287053	0287055	0287063	0287037	0287001	0287002
0287003	0287012	0287039	0287004	0287005	0287006	0287007	0287040
0287042	0287008	0287009	0287019	0287051	0287041	0287075	0287057
0287065	0287071	0287059	0287067	0287073	0287043	0287044	0287077
0287079	0287081	0287093	0287095	0287083	0287099	0287085	0287087
0287089	0287091	0287097	0287103	0287101			

